

In the Claims:

Please amend the claims as follows:

1. (previously presented) A method of providing address information for reaching a wireless terminal, comprising:

dynamically notifying substantially directly at least one other communicating party of a current public address of said wireless terminal, the at least one other communicating party being an originating party of communication between said wireless terminal and the at least one other communicating party;

said wireless terminal being connected to a first wireless communication network, said wireless terminal having a private address in the first wireless communication network and a dynamically allocated varying public address, and said wireless terminal being reachable from outside of the first wireless communication network by means of said varying public address

2. (previously presented) The method of claim 1, wherein said notifying comprises dynamically sending an address update request substantially directly to said at least one other communicating party, the address update request comprising a source address and a destination address.
3. (previously presented) The method of claim 2, wherein said sending an address update request is repeated periodically.
4. (previously presented) The method of claim 1, wherein said notifying comprises dynamically finding out a public address allocated to the wireless terminal at a given moment for obtaining said current public address of the wireless terminal, and sending said current public address of the wireless terminal substantially directly to said at least one other communicating party.

5. (previously presented) The method of claim 4, wherein said sending is conducted, if said current public address has changed after the previous sending of the current public address.
6. (original) The method of claim 4, wherein finding out said current public address comprises
 querying the public address of the wireless terminal from an external entity capable of seeing the public address of the wireless terminal.
7. (original) The method of claim 4, wherein finding out said current public address comprises
 polling substantially continuously said current public address.
8. (previously presented) The method of claim 1, wherein the method further comprises
 choosing conditionally, which other communicating parties are notified of said current public address.
9. (previously presented) The method of claim 8, wherein said choosing is conducted on the basis of predefined profile information defining to whom said current public address shall be available.
10. (previously presented) The method of claim 1, wherein the method further comprises
 maintaining said current public address in said at least one other communicating party in association with identification information associated with the wireless terminal, so that the address information for reaching said wireless terminal is readily available in said at least one other communicating party by means of said identification information for future use.

11.(original) The method of claim 10, wherein said identification information is a predefined host name.

12.(previously presented) The method of claim 1, wherein said at least one other communicating party is one of the following: a general-purpose computer, a server and another wireless terminal, such as a mobile phone, a Personal Digital Assistant device or a laptop computer with wireless communicating capability.

13.(canceled)

14.(canceled)

15.(canceled)

16.(canceled)

17.(canceled)

18.(canceled)

19.(canceled)

20.(canceled)

21.(canceled)

22.(previously presented) A system for providing address information for reaching a wireless terminal, the system comprising:
a wireless communication network,

a wireless terminal coupled to said wireless communication network, said wireless terminal having a private address in the wireless communication network and being configured to have a dynamically allocated varying public address, and said wireless terminal being configured to be reachable from outside of said wireless communication network by means of said varying public address, and

at least one other communicating party, the at least one other communication party being an originating party of communication between said wireless terminal and the at least one other communicating party;

said wireless terminal being configured to dynamically notify substantially directly said at least one other communicating party of a current public address of the wireless terminal.

23. (canceled)

24. (canceled)

25. (previously presented) A wireless terminal coupled to a wireless communication network, comprising:

a processor and associated memory configured:

to have a dynamically allocated varying public address, to be reachable from outside of said wireless communication network by means of said varying public address, and

to dynamically notify substantially directly at least one other communicating party of a current public address of the wireless terminal, the at least one other communicating party being an originating party of communication between said wireless terminal and the at least one other communicating party,

wherein the wireless terminal having a private address in the wireless communication network.

26. (previously presented) The wireless terminal of claim 25 configured to execute said notifying by

dynamically sending an address update request substantially directly to said at least one other communicating party, the address update request comprising a source address and a destination address.

27. (original) The wireless terminal of claim 25 configured to execute said notifying by dynamically finding out a public address allocated to the wireless terminal at a given moment for obtaining said current public address of the wireless terminal, and

sending said current public address of the wireless terminal substantially directly to said at least one other communicating party.

28. (original) The wireless terminal of claim 25 further configured to conditionally choose, which other communicating parties are notified of said current public address.

29. (canceled)

30. (cancelled)

31. (canceled)

32. (previously presented) A computer readable medium embodying a computer program executable in a wireless terminal coupled to a wireless communication network, said wireless terminal having a private address in a wireless communication network and having a varying public address dynamically allocated to it, and said wireless terminal being reachable from outside of said wireless communication network by means of said varying public address, said computer program when executed by said wireless terminal for:

dynamically notifying substantially directly at least one other communicating party of a current public address of the wireless terminal, the at least one other communicating party being an originating party of communication between said wireless terminal and the at least one other communicating party.

33. (canceled)

34. (canceled)

35. (canceled)

36. (canceled)

37. (canceled)

38. (canceled)

39. (canceled)

40. (canceled)

41. (previously presented) A communicating party configured to receive address information for reaching another communicating party substantially directly from said another communicating party, said another communicating party being an originating communicating party of communication between said another communicating party and said communication party, wherein the communicating party is further configured

to receive an address update request from said another communicating party,
and

to use a source address of the address update request as seen by said

communicating party as a current public address of said another communicating party.

42. (canceled)

43. (canceled)